



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME 49

New names and the final members of new combinations are in **bold face type**.

- Abutilon incanum*, 246; *parvulum*, 37
Acacia constricta, 244; *Greggii*, 244
Acerates lanuginosa, 98; *viridiflora*, 98
Acer Negundo, 293; *rubrum*, 165;
saccharinum, 293
Achyronychia, 351; *Rixfordii*, 351
Acrolasia albicaulis, 184; *dispersa*, 184;
humilis, 183; *latifolia*, 184
Acuan Jamesii, 245
Aecidium Yuccae, 195
Aerodictidium benense, 262
Agaricus campanulatus, 232; *Carbon*,
232; *equinus*, 232; *multifidus*, 231;
papilionaceus, 232; *Sajor-Caju*, 230;
striatus, 231; *varius*, 232
Agave, 32; *Parryi*, 239, 242; *utahense*,
32
Agropyron, 104; *dasystachum*, 105;
molle, 105; *repens*, 105; *Smithii*, 105;
tenerum, 105
Albizia lophanta, 51
Aleurina, 19; *elastica*, 21; *fuscocarpa*,
16; *marchica*, 16; *olivacea*, 20
Algae in the Chinese classics, Refer-
ences to the, 297
Algae, New British and American
species of *Lobomonas*: a study in
morphogenesis of motile, 123
Allionia, 351; *Brandegei*, 351; *nycta-*
ginea, 351; *ovata*, 351; *pumila*, 351
Alsophila, 3
Alternaria, 332; *Solani*, 314, 323, 333-
335
Amaranthus paniculatus, 243
Amauria dissecta, 359
Amauriopsis dissecta, 359
Ambrosia, 53
American fossil hepatic, A new, 207
American species of *Lobomonas*: a
study in morphogenesis of motile
algae, New British and, 123
Amoeba, 133-135
Amsinckia intermedia, 100; *lycopsoides*,
100; *Menziesii*, 100, 239, 247
ANDERSON, FLORA, The development
of the flower and embryogeny of
Martynia louisiana, 141
Andropogon saccharoides, 241
Anemone, 240; *tuberosa*, 35; *spheno-*
phylla, 239, 243
Anislotus brachycarpus, 240, 245;
puberulus, 239, 245; *trispermus*, 240,
245
Antennaria alpina, 181
Anthericum, 54
Antholyza, 55
Antirrhinum antirrhiniflorum, 248
Aphanolejeunea, 4, 5, 7; *sicaefolia*, 5
Aplopappus Gooddingi, 44; *gracilis*, 44
Apocynum, 51
Arabis perennans, 244
Aragallus monticola, 179
Arenaria Burkei, 179; *congesta*, 179;
lithophila, 179; *subcongesta*, 179
Aristida adscensionis, 242; *bromoides*,
242; *divergens*, 242; *Wrightii*, 242
Aristolochia, 51; *fimbriata*, 51; *Sipho*,
51, 55
Arizona, Midwinter botanizing in
southern, 237
Artemisia albula, 250; *Brittonii*, 250;
pabularis, 102
ARTHUR, JOSEPH CHARLES, New species
of Uredineae—XIV, 189
Asclepias eriocarpa, 355; *eriocarpa*
microcarpa, 355; *linaria*, 247; *pum-*
ila, 98; *speciosa*, 98; *syriaca*, 97,
98; *verticillata*, 98
Ascobolus magnificus, 304
ASHE, W. W., Notes on trees and shrubs
of the southeastern United States,
265
Aspergillus, 328, 376; *niger*, 375.
Asphodelus, 54
Aspidium simulatum, 63
Asplenium, 6, 8
Astragalus Nuttallianus, 245; *parvi-*
florus, 101
Atriplex canescens, 238, 243; *hastata*,
97; *patula*, 97; *rosea*, 243
Audibertia capitata, 37
Auricularia reticulata, 228
Avena, 376
Ayenia pusilla, 246
Baccharis glutinosa, 250; *sarothroides*,
250
Bahia dealbata, 250; *dissecta*, 359
Baileya multiradiata, 238, 250
Barbula chloronotus, 239; *Manniae*, 239

- BARTRAM, EDWIN B., Midwinter botanizing in southern Arizona, 237
- Basidiomycetes—V, Philippine, 223
- Bebbia juncea, 250
- Betula, 172; lutea, 172; nigra, 172, 293
- Biatorrella, 173; resinae, 164, 173
- Blechnum, 8; attenuatum, 3, 5, 8
- Boletus dichrous, 229; theleporoides, 229
- Bolivia, New species of trees of medical interest from, 259
- Botanizing in southern Arizona, Midwinter, 237
- Botrytis, 301, 305, 328; cinerea, 305, 314, 317, 325, 327, 335
- Bouteloua filiformis, 242; Parryi, 242; Rothrockii, 242
- Brachiomonas, 75-77, 79, 80, 82, 84, 85, 87, 89, 92, 125, 131, 132, 135-137; gracilis, 75, 76, 81, 89, 91; **simplex**, 82-85, 89, 91; submarina, 75, 76, 78, 79, 82-84, 89, 91, 92; submarina **obtusa**, 77, 79, 81, 89, 91
- Brachiomonas, The phylogeny of the genus, 75
- Brachyphyllum, 207
- Brachyruscus**, 212, 213; **Alleni**, 211-213
- Brassica nigra, 244
- British and American species of Lobomonas: a study in morphogenesis of motile algae, New, 123
- BRITTON, N. L., & ROSE, J. N., Two new genera of Cactaceae, 251
- Bromus commutatus, 104; eximius, 176; inermis, 94, 95, 100, 101; japonicus, 104; tectorum, 100; vulgaris eximius, 176
- Buchnera elongata, 195
- Buechnera, 195
- Bulgaria, 21; inquinans, 15; nigrita, 16, 18, 20
- Bulgariella nigrita, 16; pulla nigro-olivacea, 16
- Bullaria, 190; **Zorniae**, 190
- Cactaceae, Two new genera of, 251
- California—I, Miscellaneous notes on plants of Southern, 31;—II, 349
- Calliandra eriophylla, 239, 244
- Callisia, 271
- Callistemon lanceolatum, 3, 4
- Callitriche palustris, 246
- Campanula sibirica, 100, 101
- Campelia, 271
- Canna, 55
- Capsella, 154, 156
- Caraguata, 12; Sintenesii, 6, 14
- Carbon disulphide, Stimulation of plants by, 375
- Carex, 55, 103, 369; alata pulchra, 366; albolutescens, 364, 365, 372, 373; albolutescens cumulata, 366, 373; aquatilis, 176; atherodes, 103; athrotachya, 103; Bicknellii, 369; brevior, 368-370; caespitosa, 177; cumulata, 366; Deweyana, 176; Emoryi, 103; festiva, 177; festucacea, 368-370; foenea, 177, 373; Goodenovii, 177; Heleonastes, 175, 177; Hookeriana, 103; hormathodes, 177, 361; hormathodes invisata, 361; hormathodes Richii, 361, 362; laeviconica, 103; Longii, 373; **Merritt-Fernaldii**, 370; monile, 177; obtusata, 103; Parryana, 103; polygama, 178; praticola, 103; **Richii**, 362; saxatilis, 178; scirpiformis, 103; stenophylla, 103; straminea, 364, 369, 372, 373; straminea Crawei, 369; straminea cumulata, 364, 366; tenera, 103; tenera major, 362; tenera Richii, 361, 362; vesicaria, 177
- Carex—XII, Notes on, 361
- Carlowrightia arizonica, 249
- Carpolithes, 211
- Cassia Covesii, 245
- Castanea alnifolia, 266, 267; alnifolia floridana, 266; alnifolia pubescens, 266, 267; **Ashei**, 267; dentata, 266, 267; **floridana**, 266, 267; neglecta, 266, 267; pumila, 265-267; pumila **Ashei**, 267; pumila **Margaretta**, 265, 267; pumila praecox, 267; pumila serotina, 267
- Castilleja, 191, 193
- Catinella, 15; **elastica**, 16, 21; **nigro-olivacea**, 16, 18-20; olivacea, 16
- Catinella, The genus, 15
- Caulinia flexilis, 35
- Cecidomyia resinicola, 163
- Celtis pallida, 243
- Centaurea picris, 102
- Central America, The genus Costus in, 283
- Cephaleuros, 12
- Cephalothecium roseum, 320
- Cercidium Torreyanum, 245
- Cereus giganteus, 247
- Chaetochloa macrostachya, 242; viridis, 242
- Chamaerhodos erecta, 100
- Cheilanthes Covillei, 32; Feei, 32; Lindheimeri, 239, 241; myriophylla, 241; Pringlei, 241; Wrightii, 241
- Chenopodium, 95; album, 95-97; ferulatum, 96, 97; leptophyllum, 96, 97; paganum, 96, 243; pratericola, 97
- Chilopsis linearis, 249

- Chimaphila occidentalis*, 355; umbellata, 355
 Chinese classics, References to the algae in the, 297
Chlamydomonas, 75, 78, 79, 82, 84, 85, 87-89, 123-125, 127-132; *brachyura* 80, 84, 85; *caudata*, 80, 82, 85, 86, 88, 89, 92; *metastigma*, 128; *pulvisculus*, 123; *reticulata*, 127; *stellata*, 123; *subcaudata*, 85, 86
Chlorogonium, 128
Chroococcus, 6
Chrysanthemum Leucanthemum, 100
Chrysoma laricifolia, 249
Chrysomyxa, 191
Chrysothamnus formosus, 101; *graveolens*, 101; *nauseosus*, 101
Cirsium neomexicanum, 238, 250
Citrus Limonium, 7
Cladosporium, 332
Clastobryum americanum, 5
Claytonia lanceolata Peirsonii, 352; *umbellata* 352
Clematis Drummondii, 244
Clusia havetioides, 5, 6, 8, 9, 13
Cobaea scandens, 53, 55
 COCKERELL, T. D. A., A new genus of fossil Liliaceae, 211
Coenogonium, 7
Coleosanthus baccharideus, 249; *Coulteri*, 249; *Wrightii*, 249
Collema, 7
Colletotrichum, 332; *lagenarium*, 323, 325, 329, 330; *Lindemuthianum*, 333; *Schizanthi*, 330
Cololejeunea, 4, 6, 7; *diaphana*, 4-7
 Colorado, Two new plants from western, 183
Commelina, 270-272
 Commelinaceae, Commelinantia, A new genus of the, 269
Commelinantia, 272; **anomala**, 273-275
 Commelinantia, A new genus of the Commelinaceae, 269
Commelyna, 269, 270; **anomala**, 269; *rhodantha*, 269
Commicarpus scandens, 243
Condalia spathulata, 246
Copelandia, 232; *papilionacea*, 232
Corispermum, 97; *hyssopifolium*, 97; *nitidum*, 97; *villosum*, 97
Corticum, 166
Costus, 283, 284; *Bakeri*, 285, 288, 289; **bracteatus**, 284, 285, 292; *comosus*, 288; **congestus**, 285, 291, 292; *Dinkelagei*, 286; *erythrocoryne*, 287; *Friedrichsenii*, 289; *geothyrsus*, 287; *giganteus*, 292; *hirsutus*, 285, 288; *laxus*, 285, 292; *lima*, 285, 288, 289; *Malortieanus*, 285, 289, 290; *maximus*, 286, 292; *mexicanus*, 289; *nutans*, 285, 291, 292; *pictus*, 289; *pulverulentus*, 285, 290; *sanguineus*, 285, 290; **sepacuitensis**, 284, 286, 292; *spicatus*, 285, 290, 291; *splendens*, 285, 292; *villosissimus*, 284, 287, 288
 Costus in Central America, The genus, 283
Covillea glutinosa, 237, 245
Cracca tenella, 245
Crassina pumila, 250
Crataegus mollis, 100
Crepidotus, 232; *pogonatus*, 232
Crepis capillaris, 103; *occidentalis*, 103
Cronartium, 191; *coleosporioides*, 191; 194; *filamentosum*, 191, 194; *Harknessii*, 194; *Quercuum*, 193; *ribicola*, 314, 319-321, 323, 329-331, 333, **stalactiforme**, 191, 194
Crossotolejunea, 4-7
Croton, 1
Cryptantha calycosa, 100; *gracilis*, 39, 40; *gracilis Hillmanii*, 39; *Hillmanii*, 39, 40; *maritima*, 38, 39; *racemosa*, 38; *ramosissima*, 38, 39; *recurvata*, 39
Cucurbita, 376; *Pepo*, 54, 382
Cuscuta, 98, 107; *applanata*, 109; *arvensis*, 98; *calycina*, 98; *Choisiana*, 107; *Coryli*, 98; *corymbosa grandiflora*, 109; **cozumelensis**, 108; **dentatasquamata**, 107; **durangana**, 109; *floribunda*, 109; *Gronovii*, 98; *Gronovii curta*, 98; *macrocephala*, 108; *partita*, 108; *pentagona*, 98; *plattensis*, 98; *tinctoria*, 109; *umbellata*, 109
Cuscuta from Mexico, Three new species of, 107
Cyanotis, 271
Cyathea, 3
Cylindrocladium scoparium, 320, 328, 330, 334
Cyperus cyrtolepis, 242; *diandrus*, 103; *esculentus*, 103
Cystopus candidus, 323, 330, 333
Dacryomyces, 166; *deliquescentis*, 167, 168; *hyalinus*, 166-168
Daedalea, 225; *amanitoides*, 225; *applanata*, 225; *aulaxina*, 226; *flavida*, 225; *inconcinna*, 226; *indica*, 225; *intermedia*, 227; *lurida*, 225; *Palisoti*, 225; *pruinosa*, 225, 227; *repanda*, 225; *sanguinea*, 224; *striata*, 231; *subconfragosa*, 225; **versatilis**, 226
Danaea, 3
Danthonia pinetorum, 175; *spicata pinetorum*, 175; *thermalis*, 175

- Dasyilirion Wheeleri, 239, 242
 Dasyochloa pulchella, 242
 Daucus pusillus, 247
 Desmidium, 4
 Development of the flower and embryogeny of *Martynia louisiana*, The, 141
Diabole, 194; **cubensis**, 194
 Diapedium Torreyi, 248
 Dicaeoma Polygoni-alpini, 189
 Dichorisandra, 271
 Didymellina Iridis, 329, 330
 Dioscorea, 55; quinquefolia, 51, 55
 Diplasiolejeunea pellucida, 4-7
 Diplocarpon Rosae, 330
 Dipterostemon pauciflorus, 242
 Discocactus, 251
 Ditaxis neomexicana, 246; sericophylla, 246
 DODGE, B. O., A *Lachnea* with a botryose conidial stage, 301
 Dodonaea viscosa, 246
 DORAN, WM. L., Effect of external and internal factors on the germination of fungous spores, 313
 DOSDALL, LOUISE, Occurrence of the pycnial stage of *Puccinia Taraxaci*, 235
 Draba corrugata, 352; corrugata **saxosa**, 352; cuneifolia, 239, 244; saxosa, 352
 Dracocephalum Moldavica, 100; parviflorum, 100; thymiflorum, 100
 Drepanolejeunea campanulata, 5-7; crucianella, 7
 Dryopetalon, 240, 247; runcinatum, 239, 244
 Dryopteris spinulosa, 105; Thelypteris, 105
 Dunaliella, 130
 DURAND, ELIAS J. The genus *Catinella*, 15
 Dysodia porophylloides, 250
 Earliella corrugata, 224; cubensis, 224
 Echinocactus, 251; Beguinii, 252; bicolor, 251; conoideus, 252; hexaedrophorus, 251; lophothele, 251; Wislizeni, 247
 Echinocereus Fendleri, 247
 Echinodorus cordifolius, 35
 Effect of external and internal factors on the germination of fungous spores, 313
 Elaphoglossum, 3; latifolium, 4, 6, 8-10, 13, 14
 Elatine californica, 35
 Elmerina, 226; cladophora, 226; vespacea, 226
 Encelia farinosa, 240, 250
 Endothia parasitica, 320, 330
 Ephedra antisiphilitica, 241; trifurcata, 241; viridis, 241
 Epicampes ringens, 242
 Epidendrum, 7
 Epiphyllous plants of certain regions in Jamaica, 1
 Eragrostis megastachya, 242
 Eremolithia, 351; Rixfordii, 351
 Erigeron divergens, 250; grandiflorus, 181
 Eriogonum apiculatum, 35; fasciculatum, 351; fasciculatum **flavoviride**, 350; fasciculatum foliolosum, 351; fasciculatum polifolium, 350, 351; nodosum, 350; nodosum **Jaegeri**, 350; ovalifolium, 179; pinetorum, 243; polycladon, 243; Wrightii, 243
 Eriophorum polystachyon, 176
 Eritrichium racemosum, 38
 Erodium cicutarium, 245; texanum, 245
 Erucastrum Pollichii, 94
 Eschscholtzia mexicana, 244
 Eupatorium solidaginifolium, 249
 Euphorbia capitellata, 246; Esula, 95; pediculifera, 246; polycarpa, 246
 Evolvulus linifolius, 247
 Evonymus atropurpureus, 101
 Fagus pumila, 267
 FARR, CLIFFORD H., Quadripartition by furrowing in *Sisyrrinchium*, 51
 Favolus, 228; cucullatus, 227; curtipes, 227; megaloporus, 228; multiplex, 228; princeps, 228; spathulatus, 228
 Fendlera rupicola, 244
 Festuca Hallii, 104; viridula, 104
 Fissidens, 7
 Floscopa, 271
 Fomes, 172; Bakeri, 172; rimosus, 172; robustus, 172
 Forrestia, 271
 Foresteria phillyreoides, 247
 Fossil, A modern plant, 63
 Fossil hepatic, A new American, 207
 Fossil Liliaceae, A new genus of, 211
 Fouquieria splendens, 246
 Fragaria, 53
 Franseria deltoidea, 249
 Fraxera Parryi, 37
 Fraxinus attenuata, 247
 Freesia, 55
 Fritillaria, 56
 Fucoides erectus, 207
 Fucus, 135
 Funalia versatilis, 226
 Fungous spores, Effect of external and internal factors on the germination of, 313
 Galactia Wrightii, 245

- Galium*, 358; *angustifolium pinetorum*, 357; *californicum*, 359; *grande*, 359; **Hallii**, 358; *multiflorum*, 358; *occidentale*, 358, 359; *pubens*, 359; *stellatum*, 249, 358
Gayoides crispum, 246
Gentiana humilis, 349; *simplex*, 349
 Germination of fungous spores, Effect of external and internal factors on the, 313
 Glacier National Park, Unreported plants from, 175
Gleocapsa, 6
Gloeoporus, 228; *candidus*, 229; *conchoides*, 228; *dichrous*, 229; **reticulatus**, 228
Glomerella rufomaculans, 314, 320, 328, 330
Gnaphalium alpinum, 181; *Wrightii*, 250
Gonium pectorale, 127, 128
Gouania, 195
 GRAFF, PAUL W., Philippine Basidiomycetes—V, 223; Unreported plants from Glacier National Park, 163
Guarea alborosea, 263; **Bangii**, 262
Guignardia Bidwellii, 330
Gutierrezia glomerella, 249
Gymnocalcium, 251
Gymnogramme triangularis, 32
Gymnosperma corymbosum, 249
Gymnosporangium clavipes, 323, 330, 331, 334, 335; *Juniperi-virginianae*, 318, 321-323, 330, 331, 334

Hapalopilus subrubidus, 227
Haplophyton cimicidum, 247
Hartmannia speciosa, 354
 HAZEN, TRACY E., New British and American species of *Lobomonas*: a study in morphogenesis of motile algae, 123; The phylogeny of the genus *Brachiomonas*, 75
Hedeoma nana, 248; *oblongifolia*, 248
Hedychium, 3; *coronarium*, 3, 4
Hedysmum, 3; *arborescens*, 4
Hedysarum, 101; *cinerascens*, 101
Helenium montanum, 250
Helianthus, 53; *annuus*, 382; *giganteus*, 101; *grosse-serratus*, 101; *Maximiliani*, 101; *nitidus*, 101; *tuberosus*, 101
 Hepatic, A new American fossil, 207
Herberta, 208; *adunca*, 208
Hermannia pauciflora, 239, 246
Herniaria cinerea, 35
Hesperonia retrorsa, 243
Heteropogon contortus, 241
Hexagonia, 227, 228; *albida*, 227; *apiaria*, 227; *Cesati*, 227; *ciliata*, 226; *cladophora*, 226; **Clemensiae**, 227; *cruenta*, 224; *cucullata*, 227; *glabra*, 226; *Koenigii*, 227; *macrostema*, 226; *Molkenboeri*, 226; **subrubida**, 227; *Taxodii*, 227; *vespacea*, 226
Hibiscus Coulteri, 246; *denudatus*, 246
Hoffmanseggia densiflora, 245
Holacantha Emoryi, 36
 HOLLICK, ARTHUR; HOWE, MARSHALL A., & A new American fossil hepatic, 207
 HOWE, MARSHALL A., & HOLLICK, ARTHUR, A new American fossil hepatic, 207
Humaria, 19; *fuscocarpa*, 16; *marchica*, 16, 20; *olivacea*, 16
Hydrodictyon, 78, 299
Hymenoclea monogyra, 249
Hymenogramme spatulata, 228
Hymenophyllum, 3

Inga vera, 195
Inonotus Clemensiae, 227
 Iowa, *Quercus lyrata* in, 293
Iris, 55
Isocoma Hartwegi, 249
Ixia, 55

Jacquemontia Pringlei, 247
 Jamaica, Epiphyllous plants of certain regions in, 1
Jamesoniella autumnalis, 208
Janusia gracilis, 245
Jepsonia Parryi, 36
 JOHNSTON, IVAN M., MUNZ, PHILIP A. & Miscellaneous notes on plants of Southern California—I, 31;—II, 349
Juglans nigra, 293
Juncus nodosus, 242
Jungermanniopsis, 208; **Cockerellii**, 208
Juniperus scopulorum, 239, 241

Karschia, 15
Koerberlinia spinosa, 245
Koeleria cristata, 242
Krameria glandulosa, 245
Krynitzkia maritima, 38; *ramosissima*, 38

Lachnea, 301, 305; *abundans*, 301, 302, 304, 305; *cretea*, 301, 303, 304
Lachnea with a botryose conidial stage, A, 301
Lactuca sativa, 53; *virosa*, 103
Laminaria, 299
Lamium amplexicaule, 100
Lappula cenchrusoides, 99; *ciliata*, 180; *cupulata foliosa*, 99; *floribunda*, 99; *Lappula*, 99; *occidentalis*, 99; *texana homosperma*, 99

- Laschia, 229; minima, 229; spathulata, 228
- Lecanora, 7
- Lejeunea flava, 4-7
- Lemalis, 18; pulla, 18; pulla nigro-olivascens, 18; rufo-olivacea, 16, 18
- Lemna, 103; trisulca, 349
- Lentinus, 229, 232; brachatus, 230; Decaisneanus, 230; fusco-purpureus, 229; infundibuliformis, 230; javanicus, 230; Kurzianus, 230; polychrous, 230; praerigidus, 230; Sajor-Caju, 230; setiger, 230; tanghiniae, 230; velutinus, 230; Zeyheri, 230
- Lenzites, 225, 231; acuta, 231; applanata, 225; aspera, 226; nivea, 227; Palisoti, 225; pallida, 225; platyphylla, 226, 231; platypoda, 225; repanda, 225; striata, 231
- Lepidium densiflorum, 93, 94; Draba, 94; hirsutum, 244; lasiocarpum, 239, 244; ramosissimum, 93, 94
- Leptosyne arizonica, 250
- Lesquerella Fendleri, 238, 244; purpurea, 239, 244
- Liliaceae, A new genus of fossil, 211
- Lilium Martagon, 150
- Linum spergulinum, 36
- Lippia Wrightii, 248
- Lobomonas, 89, 123, 124, 128, 130-133, 135-137; Francei, 123-125, 127, 129, 130; **pentagonia**, 124, 125, 127, 129, 139; **rostrata**, 124, 127, 130, 139; stellata, 123
- Lobomonas: a study in morphogenesis of motile algae, New British and American species of, 123
- Lolium remotum, 104; rigidum, 104; temulentum, 104
- Lomatium macrocarpum, 101
- Lopadium, 4
- Lophocolea, 5-7
- Lupinus, 197, 204; affinis, 198, 199, 204; apricus, 204; arvensis, 200, 201; Aschenbornii, 204; Barkeri, 197; bicolor, 204; bilineatus, 197; carnosulus, 204; chihuahuensis, 204; Clarkei, 197; densiflorus, 200, 201; Ehrenbergii, 200, 201; Hartwegi, 197; hirsutulus, 204; leucophyllus, 205; Liebmanni, 199; micranthus, 204; micranthus microphyllus, 204; nanus, 199, 204, 205; niveus, 197, 204, 205; pachylobus, 204; persistens, 204; Pipersmithii, 204; polycarpus, 204; purpureus, 199; ramosissimus, 200, 201; rostratus, 204; sabulosus, 204; strigosus, 204; succulentus, 197-200; succulentus **Brandegeei**, 203; succulentus **Layneae**, 203; trifidus, 204; umbellatus, 204; vallicola, 204; vallicola apricus, 204
- Lupinus succulentus and L. niveus, Studies in the genus Lupinus—VII, 197
- Luzula comosa, 349
- Lychnis alba, 95
- Lycium, 357; Cooperi, 248; Fremontii, 248; parviflorum, 248; Spencerae, 356, 357; Torreyi, 248
- Lycopus communis, 100
- MACKENZIE, KENNETH KENT, Notes on Carex—XII, 361
- Madia glomerata, 102
- Magnolia, 51, 55-59
- Malacocarpus, 251
- Malus elongata, 268; elongata **pubens**, 268; platycarpa **parvula**, 268
- Malva borealis, 95; crispa, 95; verticillata, 95
- Malvastrum, 353
- Mammillaria conoidea, 252; Grahami, 247
- Mangifera indica, 1, 5, 10, 13
- Marattia, 3
- Marchantia Pealei, 207
- Marchantites erectus, 207
- Marrubium vulgare, 248
- Marsilea vestita, 35
- Martynia, 141, 150, 154; fragrans, 141, 142; louisiana, 141, 142; lutea, 141
- Martynia louisiana, The development of the flower and embryogeny of, 141
- Mecardonia peduncularis, 248
- Medicago falcata, 100
- Melampsoropsis Rhododendri, 191; **roanensis**, 190
- Melanconium, 323
- Melanospora, 305
- Menodora scabra, 247
- Merulius fugax, 168, 169; striatus, 231; subaurantiacus, 169
- Mesosphaerum Emoryi, 248
- Metiola astrina, 12
- Metzgeria furcata, 4-7
- Mexico, Three new species of Cuscuta from, 107
- Microlejeunea, 4, 5
- Microstylis monophyllos, 349
- Midwinter botanizing in southern Arizona, 237
- Mimosa asperata, 194; pigra, 194
- Mimulus Langsdorffii, 248
- Miscellaneous notes on plants of Southern California—I, 31; —II, 349
- Mittenothamnium reptans, 5, 6
- Modern plant fossil, A, 63

- Mollisia umbonata*, 19
Mollugo verticillata, 35
Monbretia, 55
Monoclea Gottschei, 6
Mucronella, 169
Muhlenbergia dumosa, 242; *microsperma*, 242; *Porteri*, 242
 MUNZ, PHILIP A., & JOHNSTON, IVAN M., Miscellaneous notes on plants of Southern California—I, 31; —II, 349
Mycoidea parasitica, 1
 Mycological notes for, 1920, 163
Myoporum serratum, 154
Myosurus cupulatus, 36

Naias, 54; *flexilis*, 35
Nama humifusum, 356
Nardia, 208
Nectandra, 259, 261; **coto**, 260
Nectriella, 164; *resinae*, 164
Neolloydia, 251; **Beguini**, 252; **conioidea**, 252
 New American fossil hepatic, A, 207
 New British and American species of *Lobomonas*: a study in morphogenesis of motile algae, 123
 New genus of fossil Liliaceae, A, 211
 New genus of the Commelinaceae, *Commelinantia*, A, 269
 New plants from western Colorado, Two, 183
 New records and other notes on North Dakota plants, 93
 New species of trees of medical interest from Bolivia, 259
 New species of Uredineae—XIV, 189
Nicotiana, 55–57, 59; *glauca*, 248; *trigonophylla*, 248
Nissolia Schottii, 245
Nolina microcarpa, 242
 North Dakota plants, New records and other notes on, 93
Nostoc, 4–6, 299
 Notes for 1920, Mycological, 163
 Notes on *Carex*—XII, 361
 Notes on North Dakota plants, New records and other, 93
 Notes on plants of Southern California, Miscellaneous.—I, 31; —II, 349
 Notes on trees and shrubs of the southeastern United States, 265
Notholaena bonariensis, 241; *californica*, 32; *Hookeri*, 241; *Lemmoni*, 239, 241; *Parryi*, 32; *sinuata*, 241; *sinuata integerrima*, 31, 241; *tenera*, 32
Nuttallia, 183; *marginata*, 183
Nymphaea, 56
Nyssa sylvatica, 166

 Occurrence of the pycnial stage of *Puccinia Taraxaci*, 235
Ocotea, 261; **pseudo-coto**, 261
Oenothera, 354; *cardiophylla*, 355; *cardiophylla splendens*, 354; *speciosa*, 354
 OLDENBUSCH, CARRIE, Stimulation of plants by carbon disulphide, 375
Olneya tesota, 245
Ophioglossum Alleni, 211
Ophrys monophyllos, 349
Opuntia arborescens, 247; *Bigelovii*, 238, 247; *chlorotica*, 247; *fulgida*, 246; *leptocaulis*, 247; *Toumeyii*, 247
Osmunda, 52; *palustris aurea*, 52; *regalis*, 52
 OSTERHOUT, GEO. E., Two new plants from western Colorado, 183
 OVERHOLTS, L. O., Mycological notes for 1920, 163

Panaeolus, 232; *campanulatus*, 232; *papilionaceus*, 232
Pandorina, 128
Panicum perlongum, 103
Pannaria rubiginosa, 7
Panus, 232
Papulospora, 305
Parietaria obtusa, 243
Parkinsonia microphylla, 245
Parmelia, 4–6
Parnassia cirrata, 349
Parosela Greggii, 245; *Parryi*, 245
Parthenium incanum, 250
Patellaria applanata, 16, 19; *hirneola*, 16; *olivacea*, 16, 20; *pulla*, 19; *pulla nigro-olivacea*, 16, 18; *violacea*, 16
Patinella applanata, 16, 19; *hirneola*, 16, 19; *olivacea*, 16, 19; *violacea*, 16, 19
Pectocarya linearis, 247
Pediastrum, 131, 132
Pellaea compacta, 32; *mucronata*, 239, 241
Penicillium glaucum, 334, 375
Penstemon, 43, 189; *albomarginatus*, 44; *antirrhinoides*, 43; *antirrhinoides microphyllus*, 43; *barbatus*, 40; *barbatus Torreyi*, 40; *calcareus*, 42; *Clevelandi*, 41, 357; *Clevelandi conatus*, 357; *Clevelandi Stephensi*, 41, 357; *desertorum*, 42; *Eatoni*, 40; *fruticosus*, 180; *Grinnellii*, 42; *Menziesii*, 180; *microphyllus*, 43; **Munzii**, 40; *Palmeri*, 41, 42; *Palmeri Grinnellii*, 42; *petiolatus*, 42; *Plummerae*, 43; *Stephensi*, 41; *subulatus*, 40; *superbus*, 248
Perezia Wrightii, 249
Peridermium, 193; *Cerebrum*, 192, 193

- filamentosum, 191, 194; Harknessii, 191-193; stalactiforme, 191, 194
 Perityle dissecta, 250
 Peronospora parasitica, 323; pygmaea, 335
 PESSIN, LOUIS J., Epiphyllous plants of certain regions in Jamaica, 1
 Pezicula, 19; viridi-atra, 16
 Peziza applanata, 18; fuscocarpa, 16, 19, 20; nigro-olivacea, 16, 18, 19; olivacea, 15-17; viridi-atra, 16, 19, 20
 Phacelia Franklinii, 180
 Phaeopezia, 19; elastica, 21; fuscocarpa, 16, 20; marchica, 16
 Phallogaster saccatus, 172
 Phaseolus, 376
 Philadelphus microphyllus, 244
 Philibertella linearis, 247
 Philippine Basidiomycetes—V, 223
 Phlox, 99; andicola, 99; **bernardina**, 356; dolichantha, 356; Douglasii, 99; Hoodii, 99; Stansburyi brevifolia, 356; superba, 356
 Phoradendron californicum, 243; californicum distans **leucocarpum**, 349; macrophyllum, 243
 Phragmidium violaceum, 331
 Phycopeltis, 3-7, 10; microcystis, 2
 Phyllonoma, 212; ruscifolia, 212
 Phylloporina epiphylla, 6
 Phyllosticta Antirrhini, 323, 330
 Phylogeny of the genus Brachiomonas, The, 75
 Physalis ixocarpa, 248
 Phytophthora infestans, 323, 327, 330, 333
 Picea, 191
 Pilacre Petersii, 165, 173
 Pinnularia, 4-6
 Pinus insignis, 193; ponderosa, 164, 193; radiata, 193; Strobilus, 167; virginiana, 164
 Piper, 3
 Pittosporum tobira, 4
 Plagiochila, 6
 Plasmodiophora Brassicae, 322, 323
 Plasmopara viticola, 323, 330, 333, 334
 Platanus occidentalis, 293; Wrightii, 244
 Platymonas, 80; subcordiformis, 80
 Pleurotus, 229; flabellatus, 229
 Pluchea, 194; fastigiata, 194; Quitoc, 194
 Plumbago scandens, 247
 Poa Bigelovii, 242; Cusickii, 176; nevadensis, 176
 Podocarpus, 3; coriaceus, 5, 7
 Polemonium confertum, 179
 Pollia, 271
 Polyblepharides, 80, 128
 Polygala macradenia, 240, 246
 Polygonum alpinum, 189; bistortoides linearifolium, 179; Hydropiper, 97; punctatum, 243; punctatum leptostachyum, 97
 Polypodium, 3, 5, 8; Phyllitidis, 7, 8, 10, 14
 Polyporus, 228; annosus, 172; apiarius, 227; asper, 223; caeruloporus, 169; Clemensiae, 227; **compactus**, 170, 171, 173; corrugatus, 224; dichrous, 229; Ellisianus, 172; fusco-badius, 224; incanus, 224; indecorus, 224; lacerus, 226; leucoplacus, 223; megaloporus, 228; minimus, 229; nigropurpurascens, 229; paleaceus, 224; pelleporus, 229; scabrosus, 224; subrubidus, 228; tegularis, 224; thelephoroides, 229
 Polystichum plaschnichianum, 8
 Polystictus, 226; asper, 223; Persoonii, 224; thelephoroides, 229; versatilis, 226
 Populus, 243; deltoides, 293; Wislizeni, 243
 Poria, 223; leucoplaca, 223
 Porophyllum juniciforme, 250
 PORTERFIELD, JR. W. M., References to the algae in the Chinese classics, 297
 Potentilla argentea, 100
 Preissites Wardii, 207
 Prosopsis glandulosa, 245
 Prunus fasciculata, 356
 Pseudopeziza Medicaginis, 317; Tri-folii, 317, 330
 Psilostrophe Cooperi, 250
 Psilotum, 52; triquetrum, 52
 Pteromonas, 124, 128, 129, 135; alata, 123
 Ptiloria pauciflora, 249
 Puccinia, 189; Antirrhini, 316, 323, 330; biocellata, 194; coronata, 321, 323, 332, 334; dispersa, 323; graminis, 321-323, 329, 334; invaginata, 195; Larici, 323; Malvacearum, 314, 322, 323, 329-334; offuscata, 190; Phleipratensis, 323, 330; **Pluchaeae**, 194; Polygoni-alpini, 189; rubigo-vera, 323; Sorghi, 323; Taraxaci, 235; Zorniae, 190
 Puccinia Taraxaci, Occurrence of the pycnial stage of, 235
 Pucciniastrum americanum, 190; arcticum americanum, 190
 Pyramimonas, 80
 Pyrenula, 7
 Pyrola picta, 355; umbellata, 355
 Quadripartition by furrowing in Sisyrinchium, 51

- Quercus*, 170; *acuminata*, 268; *alba*, 170; *aquatica*, *elongata* 268; *arizonica*, 243; *bicolor*, 293; **coloradensis**, 268; *Emoryi*, 293, 243; *hypoleuca*, 239, 243; *lyrata*, 293-295; *macrocarpa*, 268, 293, 294; **nigra elongata**, 268; *nigra tridentifera*, 268; *oblongifolia*, 239, 243; *stellata*, 268; *virginiana*, 268
Quercus lyrata in Iowa, 293
 References to the algae in the Chinese classics, 297
Rhamnus tomentella, 246
Rhizina nigro-olivacea, 16, 19
Rhizopus nigricans, 314, 326, 327, 335, 383, 384
Rhododendron, 1, 6, 191; *catawbiense*, 190; *punctatum*, 190
Riccardia, 6
 ROSE, J. N., BRITTON, N. L., & Two new genera of Cactaceae, 251
 ROUND, EDA M., A modern plant fossil, 63
 ROWLEE, W. W., The genus *Costus* in Central America, 283
Rubus neglectus, 190; *occidentalis*, 190
Ruellia tuberosa occidentalis, 249
Rumex Britannica, 105; *hymenosepalus*, 243; *paucifolius*, 189
 RUSBY, H. H., New species of trees of medical interest from Bolivia, 259
Ruscus, 212, 213; *hypoglossum*, 212; *hypophyllum*, 213; *latifolius*, 213
Rutosma purpurea, 246
Salix orbicularis, 178; *reticulata*, 175, 178, 179; *saximontana*, 178
Salvia lanceolata, 100; *mohavensis*, 37; *pinguifolia*, 248
Salvinia, 211; *reticulata*, 211, 212
Sambucus mexicana, 249
Samuela, 33
Sarcosoma rufum, 15
Sauvella, 271
Saxifraga Parryi, 36
Scaphophorus agaricoides, 231
Schizonia vulgaris, 232
Schizophyllum, 231; *alneum*, 232; *commune*, 231
Scirpus occidentalis, 103; *validus*, 103
Scleroma velutinum, 230
Sclerotinia fructigena, 314, 330, 331, 333, 335; *Geranii*, 301, 302, 305; *Ricini*, 301
Scopulophila, 351; *nitrophiloides*, 351; **Rixfordii**, 351
Scrophularia parviflora, 248
Scytonema, 4-7
Sedum Griffithsii, 244
Selaginella arizonica, 241; *rupicola*, 241
Senecio aureus, 181; *crocatus*, 181; *Lemmoni*, 250; *manitobensis*, 102
Septoria, 323; *Gladioli*, 330; *Lycopersici*, 334
 SHIMEK, B., *Quercus lyrata* in Iowa, 293
 Shrubs of the southeastern United States, Notes on trees and, 265
Sicyos angulatus, 101
Sideranthus australis, 249; *Gooddingi*, 44
Silene dichotoma, 95; *Douglasii*, 179; *Fabaria*, 95; *noctiflora*, 95
Silphium, 147
Simmondsia californica, 246
Siphonoglossa longiflora, 249
Sisymbrium Loeselii, 94
Sisyrinchium, 55-57, 59, 195; *Bermudiana*, 195; *Bushii*, 56, 61
Sisyrinchium, *Quadrupartition* by furrowing in, 51
 SMITH, CHARLES PIPER., Studies in the genus *Lupinus*—VII. *L. succulentus* and *L. niveus*, 197
Solenia fasciculata, 169, 173; *villosa*, 169
Solidago humilis, 180; *Purshii*, 180
Sonchus arvensis, 102; *uliginosus*, 102
Sophia intermedia, 94; *ochroleuca*, 244
 Southern California, Miscellaneous notes on plants of,—I, 31;—II, 349
Sphaeralcea, 353; *ambigua*, 246, 353; *grossulariaefolia*, 246; **rosacea**, 353
Sphaerotheca mors-uvae, 318
Spirodela polyrrhiza, 103
Sporobolus asper, 104
Staurostrum, 4
Stelis ophioglossoides, 5
Stemodia durantifolia, 248
Stenobium incisum, 249
Stereum radiatum, 168
Sterigmatocystis, 384, 385; *nigra*, 376, 383-386
 STEVENS, O. A., New records and other notes on North Dakota plants, 93
Sticta, 3, 4
 Stimulation of plants by carbon disulphide, 375
Strepanthus arizonicus, 244
Streptolirion, 271
Strigula, 1
 Studies in the genus *Lupinus*—VII. *L. succulentus* and *L. niveus*, 197
 Study in morphogenesis of motile algae, New British and American species of *Lobomonas*: A, 123
Suckleya Suckleyana, 97
Syntherisma sanguinale, 103
Taxilejeunea, 5-7

- THARP, B. C., *Commelinantia*, a new genus of the Commelinaceae, 269
Thelephora dolosa, 229
Thelocactus, 251; **bicolor**, 251; **hexaedrophorus**, 251; **lophothele**, 251
Thlaspi arvense, 352
 Three new species of *Cuscuta* from Mexico, 107
Thysanocarpus, 240, 247; *amplectens*, 239, 244
Tilletia foetens, 330
Tinantia, 269, 270, 272; *anomala*, 270, 273; *fugax*, 270; *Pringlei*, 275
Tmesipteris, 211; *Alleni*, 212
Tortula inermis, 239; *ruralis*, 239
Tradescantella, 271
Tradescantia, 54, 269-273; *anomala*, 269, 271-273; *Pringlei*, 271, 272
Tragia ramosa, 37
Trametes, 223; *aspera*, 223; *corrugata*, 224; *incana*, 223; *nitida*, 224; *paleacea*, 224; *versatilis*, 226
Trapella sinensis, 154
 Trees and shrubs of the southeastern United States, Notes on, 265
 Trees of medical interest from Bolivia, New species of, 259
Trentepohlia, 3; *arborum*, 2; *aurea*, 2, 4, 5, 7
Trichloris fasciculata, 242
Trichomanes, 3, 5
Tricuspis mutica, 32
Triodia mutica, 32
Triticum, 387; *sativum*, 379
Trixis californica, 249
Tsuga canadensis, 168
Tulasnella, 166; *Violae*, 166
 Two new genera of Cactaceae, 251
 Two new plants from western Colorado, 183

Ulmus americana, 293
 United States, Notes on trees and shrubs of the southeastern, 265
 Unreported plants from Glacier National Park, 163

 Uredineae—XIV, New species of, 189
Uredo biocellata, 194; *coleosporioides*, 194; **cumula**, 195; **curvata**, 195; **nominata**, 194; *Plucheae*, 194; *Zorniae*, 190
Uromyces, 189; *caryophyllinus*, 316, 323; *fuscatus*, 189; *Trifolii*, 323
Uromycladium, 194; *cubense*, 194
Usnea, 4
Ustilago Hordei, 330; *Tritici*, 330

Vaccaria Vaccaria, 95
Valeriana occidentalis, 180; *sylvatica*, 180; *wyomingensis*, 180
Vauquelinia californica, 244
Venturia inaequalis, 314, 317, 318, 320, 325-328, 330-332, 334, 335
Verbena, 148, 150; *Wrightii*, 248; *xutha*, 248
Veronica Cusickii, 180; *maritima*, 98
Vicia, 381, 387; *Faba*, 380' 381
Villanova dissecta, 359
Vinca rosea, 51
Viola Sheltoni, 353, 354

Wedeliella incarnata, 243
Woodsia scopulina, 31
Woodwardia angustifolia, 63

Xanthium, 101; *acerosum*, 101; *canadense*, 101; *italicum*, 101; *pennsylvanicum*, 101

Yucca baccata, 33, 34, 239, 242; *baccata macrocarpa*, 34; *elata*, 238, 242; *glauca*, 196; *macrocarpa*, 34; *mohavensis*, 33, 34; *Schottii*, 34
 YUNCKER, T. G., Three new species of *Cuscuta* from Mexico, 107

Zannichellia palustris, 35
Zea Mays, 376
Zebrina, 271
Zythia, 164, 173; *resinae*, 163, 164, 173